

DiscoveryBayWomen'sClub

Request for Action (RFA)

This form may be used to:

- communicate information to the Park/Facilities/Office Manager about items that may need improvement or repairs in common areas at DBR
- share with the Board of Directors ideas, concerns, suggestions or questions about any aspect of Park life, DBWC rules, or current policies and practices

In order for this RFA to be placed on the next Board Meeting Agenda, it must be submitted to the office at least one week prior to the monthly Work Session (generally the 3rd Thursday of every month, but check the DBWC calendar on the website to confirm). RFA's which do not require Board discussion or action will be forwarded to the Park/Facilities Manager or appropriate Committee for attention.

Once complete, please place this form in the inbox on the business office door.

Anyone who submits an RFA requiring discussion with the Board is asked to attend the Work Session and Board Meeting where her RFA will be discussed.

Date 18 July 2025 Name Donna Parker Site # 99

Repair Needed, Request, Suggestion, Idea, Concern, Question:

Our BOD has stated many times it is an individual leaseholder's responsibility to provide for themselves during emergencies. FEMA, ARC, Ready.gov and WA Emergency Management agencies estimate we need at least 1 gallon of potable water/day to survive any emergency. This will increase based on the climate and the individual's health, activity and any injuries.

To meet our individual responsibilities, many DBWC members bought attractive, sealed 55-gallon food grade barrels (see pics) thru Clallum Ready to increase our emergency water storage capability. However, even a single barrel would last well below the 6-month recommended storage amount for one person. *(For my family, I have 3 barrels as a starting point. If we are not here during the disaster, our neighbors can use the water stored in our barrels.)*

The LARC recently approved a limit of one 55-gallon drum/lot. In the event our well fails or becomes contaminated, this means DBWC would have to provide adequate emergency potable water for every occupant and pets, and this means investing in multiple 'thousand-gallon' cistern type devices scattered across the park.

With water being THE single most important survival item, the amount/type of water storage should be at the leaseholder's discretion. Please do not restrict what any individual leaseholder feels is best for the safety and survival of their family and neighbors. Request any planned water storage restrictions be stopped at once.



Response to Member by _____ Date _____

Request for Action - 2024/02/08